ROTARY TILLER MACHINE TiMa

WHAT IS TIMa?

TiMa is machine intended for presowing soil preparation in form of tiling.



This machine shreds, mixes and crumble soil, prepairing it for bed shaping, foil laying and/or planting operations.

BENEFITS OF USING

➤ Easy handling

Robust construction

Trusted functionality

High performance

>Reduces costs

High level of personalisation



Fits machines with Cat 1 3-Point hoop-up
Spiral placed blades results with lesser requirement for power and finest tilling
4 blades per flange (possibility for 6 blades per flange as additional option)
Adjustable working depth
Maximal working (tilling) depth of 18 cm



PTO shaft speed: 540 o/min
Shaft rotation speed: 238 o/min
Gearbox power - 48 kW
Power (driving) chain in oil bath

TIMa MACHINE MODELS

۲

C





(1)



	RT1500
Transport width (mm)	1860
Working width (mm)	1500
Length (mm)	1030
Height (mm)	1150
Blades (pcs)	36
Demanded power (min KS)	40 - 65



Removable and adaptable foil carrier that can recieve foil

Built-in mechanism that prevents unwanted unrolling of the foil



Allows laying up to 2 irrigation drip hose on ground while foil is being layed.

By using this set irrigation (drip) hose is placed between soil and foil that is being layed.



Allows fertilisation of soil while bed is being created, meaning fertilizer is dropt on soil and buried during bed forming operations.

Hopper is made of stainless steel.

Dispersing is propelled by electromotor.

Spreading quantity regulated by combination of setups on electric cabin control unit, mechanical regulator and tractor moving speed.

ADDITIONAL EQUIPMENT

PUNCH WHEEL SYSTEM

Main purpose is to punch holes on the layed foil in which plans will be transplanted.

Zink coated/galvanized

Depending of customer needs, system can contain 1 wheel (punching holes in 1 row), 2 wheels (punching holes in 2 rows) or even 3 wheels (punching holes in 3 rows).

- Manufactured in Croatia
- Machine is of European origin





Klik ili scan za pregled

If you have any interest of purchasing this machine of ours,

be free to contact us.

Sincerely yours, Agroservis – proizvodnja d.o.o. team

Address:

Stjepan Radic street No. 136 33000 Virovitica R. Hrvatska / Croatia Phone:

+385 (0)99 254 8233

+385 (0)33 730 240 Mr. Kovač Andrej e-mail:

agroservisproizvodnja.vt@gmail.com agroservis.proizvodnja@vt.t-com.hr

*All pictures and illustrations shown in this file are for illustration purpose only. Actual product may vary due to product enhancement.