

BIOcut cutter roller

BIOcut cutter roller



BIOcut cutter is roller equipped with knives whose main purpose is to allow the user to mow the crops at the end of the cycle. Rolling and crimping actions will transform crops into a thick weed suppressing mulch.



HOW DOES BIOcut cutter WORKS?

BIOcut cutters blades fast and effitiently performs rolling and crimping actions on crops at the end of the cycle.

This machine is perfect equipment for no-till farming operations.

It performs its function regardless of crop or soil type




BENEFITS OF USING

BLOcut cutter

- **High efficiency**
- **No jamming**
- **Used on the front of the tractor (front linkage)**
- **Minimalize the need of pre-sowing activities**
- **Low maintenance costs**

BIOcut cutter MACHINE

FEATURES

- 
- High quality steel construction
 - Diameter of rollers is 380 mm
 - Replacable, double sided, 710 mm long knives made of high-quality HARDOX steel cuts plants
 - Metal cover protects tractor from plant residues
 - Mass of the machine is 620 kg and it can be increased up to 1185 kg by using weights


BIOcut cutter SPECIFICATIONS



	BC 3000
Working width (mm)	3000
Roller diameter (mm)	380
Mass (kg)	620
Mass with weights* (kg)	1185
No of knives (kom)	48
Knife length (mm)	710
Knives characteristics	changeable
Working speed (km/h)	15-25

***weights are available as an additional option**

- **Manufactured in Croatia**
- **Machine is of European origin**



If you have any interest of purchasing this machine of ours,
be free to contact us.

Sincerely yours Agroservis - proizvodnja d.o.o. team

Address:

Stjepan Radic street
No. 136
33000 Virovitica
R. Hrvatska /
Croatia

Phone:

+385 (0)99 254 8233

+385 (0)33 730 240

Mr. Kovač Andrej

e-mail:

agroservisproizvodnja.vt@gmail.com

agroservis.proizvodnja@vt.t-com.hr

*All pictures and illustrations shown in this file are for illustration purpose only. Actual product may vary due to product enhancement.