

Spring tooth harrow machines

SPIDER



SPIDER is machine intended for pre - sowing operations on soil like smoothing and leveling previously plowed soil or seedbeds to prepare it for planting or sowing.

HOW DOES SPIDER WORKS?



Working parts of machine break crust, break up clumps, level the soil and destroy weeds.

While working, working parts sort soil by pulling bigger clumps on surface (which are later crushed by rollers) and leaving smaller clumps below surface easing germination of plant.



BENEFITS OF USING

- **High functionality**
- **Robust construction**
- **Easy and simple handling and set up**
- **High work effect**
- **Quality constructional solution**
- **Reliable**
- **Long period of exploitation**



SPIDER MACHINE FEATURES

- Fits machines with Cat 1 and 2, 3-Point hook-up
- Spikes (dim. 20 x 20 x 200) as working parts
- Option with 4 or 5 rows of S-springs
- 2 rows of rollers (diameter 320 mm and 240 mm)
- Equipped with front leveling board
- Hydraulic folding

MACHINE MODELS



model name is directly connected with working width of the machine

SPIDER spring tooth harrow machine
STH 4,4



SPIDER MACHINE MODELS



	STH 4,15	STH 4,5	STH 4,75	STH 5	STH 5,25	STH 5,5	STH 5,75	STH 6	STH 6,6
Working width (mm)	4150	4500	4750	5000	5250	5500	5750	6000	6600
Transport width (mm)	2040	2310	2595	2350	2630	2345	2630	3560	3560
Demanded power (min HP)	115 - 140	120 - 150	130 - 155	135 - 160	140 - 170	150 - 180	155 - 185	160 - 190	180 - 220
Working parts number (pcs)	48	52	56	60	64	68	72	72	80

	STH 4,15 R5	STH 4,5 R5	STH 4,75 R5	STH 5 R5	STH 5,25 R5	STH 5,5 R5	STH 5,75 R5	STH 6 R5	STH 6,6 R5
Working width (mm)	4150	4500	4750	5000	5250	5500	5750	6000	6600
Transport width (mm)	2040	2310	2595	2350	2630	2345	2630	3560	3560
Demanded power (min HP)	120 - 150	130 - 155	135 - 160	140 - 170	150 - 180	160 - 190	165 - 195	170 - 200	190 - 230
Working parts number (pcs)	60	65	70	75	80	85	90	90	100

- **Manufactured in Croatia**
- **Machine is of European origin**



Klik ili scan za pregled



**If you have any interest of purchasing this machine of ours,
be free to contact us.**

Sincerely yours Agroservis - proizvodnja d.o.o. team

Address:

**Stjepan Radic street
No. 136
33000 Virovitica
R. Hrvatska /
Croatia**

Phone:

+385 (0)99 254 8233

+385 (0)33 730 240

Mr. Kovač Andrej

e-mail:

agroservisproizvodnja.vt@gmail.com

agroservis.proizvodnja@vt.t-com.hr

*All pictures and illustrations shown in this file are for illustration purpose only. Actual product may vary due to product enhancement.